

EDITORIAL • OPEN ACCESS

Human–Earth system interactions under climate change

To cite this article: Huidong Li *et al* 2025 *Environ. Res. Lett.* **20** 070201

View the [article online](#) for updates and enhancements.

You may also like

- [The future of hot and dry events in the breadbasket regions of maize](#)
Victoria Dietz, Johanna Baehr, Laura Suarez-Gutierrez et al.
- [Biophysical effects of land cover changes in West Africa: a systematic review](#)
Abdel Nassirou Yahaya Seydou, Souleymane Sy, Benjamin Quesada et al.
- [Upper bounds for 21st-century surface air temperatures in the Western United States](#)
Mark D Rissler, Daniel R Feldman, William R Boos et al.



UNITED THROUGH SCIENCE & TECHNOLOGY

ECS The Electrochemical Society
Advancing solid state & electrochemical science & technology

**248th
ECS Meeting**
Chicago, IL
October 12-16, 2025
Hilton Chicago

**Science +
Technology +
YOU!**

Register by
September 22
to **save \$\$**

REGISTER NOW

ENVIRONMENTAL RESEARCH
LETTERS

EDITORIAL

Human–Earth system interactions under climate change

OPEN ACCESS

RECEIVED
1 May 2025ACCEPTED FOR PUBLICATION
19 May 2025PUBLISHED
3 June 2025

Original content from
this work may be used
under the terms of the
[Creative Commons
Attribution 4.0 licence](#).

Any further distribution
of this work must
maintain attribution to
the author(s) and the title
of the work, journal
citation and DOI.

Huidong Li^{1,*}, Minchao Wu^{2,3}, TC Chakraborty⁴, Anna Rutgersson³, Torbern Tagesson², Bing Xue⁵
and Zhonghua Zheng⁶¹ Department of Earth and Environmental Sciences, Vanderbilt University, Nashville, TN 37235, United States of America² Department of Physical Geography and Ecosystem Science, Lund University, Lund, Sweden³ Department of Earth Sciences, Uppsala University, Uppsala, Sweden⁴ Atmospheric, Climate, and Earth Sciences Division, Pacific Northwest National Laboratory, Richland, WA, 99352, United States of America⁵ Chair of Circular Economy and Recycling Technologies, Technische Universität Berlin, Berlin, Germany⁶ Department of Earth and Environmental Sciences, The University of Manchester, Manchester, United Kingdom

* Author to whom any correspondence should be addressed.

E-mail: huidong.li@vanderbilt.edu

1. Introduction

The dynamic interactions between human activities and the components of the Earth system have become a focal point of scientific research, especially as climate change continues to reshape environmental, social, and economic landscapes globally (Lade *et al* 2020). Human activities—including deforestation/afforestation, agricultural expansion, rapid urbanization, and energy generation infrastructure—have fundamentally reshaped the global land surface (Winkler *et al* 2021). These human activities, alongside broader socioeconomic drivers such as agriculture and rising energy demand, interact with natural systems through complex biophysical and biogeochemical pathways operating across various spatial and temporal scales (Morris *et al* 2025).

As human activity adds a new dimension to Earth system interactions, it imposes additional challenges in assessing potential climate tipping points and understanding the future trajectory of the Earth system in the Anthropocene (Steffen *et al* 2018). Addressing these complexities necessitates an integrated approach, fostering synergy across scientific disciplines. Advancing our knowledge in this domain calls for innovative methodologies that integrate diverse perspectives, ranging from survey data and social science frameworks to remote sensing technologies and Earth observation systems, as well as sophisticated process-based and data-driven models. Strengthening these interdisciplinary connections is critical for refining our understanding of human–Earth system feedback and informing effective climate adaptation and mitigation strategies that enhance the resilience of both human societies and natural ecosystems.

This special issue, titled ‘Focus on human–Earth system interactions under climate change,’ compiles cutting-edge research that deepens our understanding of the complex feedback mechanisms between anthropogenic activities and Earth system processes in the context of a changing climate (figure 1). The featured articles employ a diverse array of methodologies—including field studies, remote sensing, modeling, and socio-ecological analyses—to explore these interconnections. A unifying theme across these contributions is the imperative to bridge disciplinary divides, integrating physical Earth sciences with social sciences to fully capture the spectrum of human–Earth system interactions. Key topics addressed the impacts of human activities on natural systems, encompassing land-use change and water resource management on biogeochemistry, climate dynamics, and feedback on the climate system and socioeconomics from local to global scales under a changing climate.

2. Key contributions and insights

2.1. Anthropogenic forcing, emissions, and global climate dynamics

This set of studies collectively advances our understanding of how anthropogenic forcing and emissions—ranging from energy production to aerosols and greenhouse gases—shape global and regional climate dynamics. At the local and regional scales, Huang *et al* (2024) and Engstrand *et al* (2024) address localized pollution from human activities, showing how high-NO_x ship emissions and repeat artisanal gold mining respectively contribute significantly to environmental degradation. Their findings underscore the need for targeted emissions monitoring




Figure 1. Schematic diagram of human–Earth system interactions under climate change.

and regulatory frameworks, while also highlighting opportunities to incentivize cleaner technologies and alternative fuels in the inland shipping sector. At the global scale, Xie *et al* (2024) and Gu *et al* (2024) demonstrate how reduced aerosols and dust emissions modulate temperature trends and regional precipitation patterns through changes in atmospheric processes. Yu *et al* (2023) further link rising CO₂-driven Indo-Pacific warming to a weakening of the Arctic stratospheric polar vortex, revealing far-reaching climate teleconnections. The emission-climate interactions, however, have a strong link to the socio-political system. As suggested by Perri *et al* (2024) in their study on clean energy transitions, the success of clean energy transitions may depend on the synergy from the socio-political system at multiple levels. A top-down policy approach alone may not be sufficient for effective emission cuts; a multi-level strategy that combines top-down and bottom-up approaches is usually needed. Together, these studies provide regional to global understanding of anthropogenic activities and their feedback on atmospheric systems, offering insights for emission regulation, climate modeling, and adaptation strategies.

2.2. Human impact on ecosystems

Several studies in this special issue investigate the complex interactions between climate change, land use, and ecosystem dynamics across tropical and montane landscapes, highlighting the importance of localized human activities in influencing broader ecosystem and climate dynamics. He *et al* (2025) show that tropical montane forest loss has accelerated significantly in recent decades, with intermediate-sized (1–10 ha) clearings becoming the dominant driver of deforestation, raising alarms for biodiversity, carbon storage, and forest sustainability. Yang *et al* (2024a)

provide new evidence that small hydropower reservoirs, often considered low-impact, have collectively caused greater tropical forest loss than large reservoirs, particularly in African regions, underscoring the ecological trade-offs of decentralized hydropower expansion. In contrast, Gao *et al* (2023) document a positive trajectory of forest recovery in Nepal, revealing that community forestry programs for mitigating deforestation and forest degradation at the household level have become the dominant driver of national-scale greening, surpassing the influence of climatic variables in recent decades. Together, these studies highlight both the risks and opportunities presented by human–ecosystem interactions, emphasizing the importance of scale-sensitive governance and nature-based solutions for sustaining forest ecosystems in the face of climate change.

2.3. Human disturbance on biogeochemical dynamics

This group of studies illustrates how anthropogenic activities intersect with climate and landscape processes to alter biogeochemical dynamics across terrestrial and aquatic systems. Rahman *et al* (2024) demonstrate how historical phosphorus loading from urbanized river catchments in Osaka Bay shaped long-term phosphorus speciation in coastal sediments, with calcium-bound phosphorus forming a key immobile sink. Shao *et al* (2024) present a high-resolution remote sensing framework to assess surface water pollution susceptibility in urban areas, linking fine-scale land use characteristics to pollution risks and offering new tools for urban water quality monitoring. Chien *et al* (2024) reveal a negative association between human population density and mangrove soil carbon stocks, although climate-adjusted models suggest that urban mangroves can still retain significant blue carbon value under proper conservation.

Guo *et al* (2023) review emerging insights into how climate change influences soil organic carbon dynamics, emphasizing the complex interplay between biological communities, abiotic regulation, and environmental drivers that shape carbon stabilization and decomposition. Yang *et al* (2024b) find that microbial communities in degrading permafrost zones maintain distinct biogeographic patterns, but exhibit differential vulnerability to environmental tipping points, raising concerns about microbial ecosystem stability in a warming world. Collectively, these studies highlight the need for integrated monitoring and management of biogeochemical functions in ecosystems increasingly shaped by human disturbance and climate stressors.

2.4. Urban climate, heat exposure, and adaptation

Several studies in this special issue advance our understanding of urban climate impacts through a diverse set of studies that focus on extreme heat hazards and exposure, urban microclimate dynamics, and associated behavioral and infrastructural responses. For example, Li *et al* (2024) map human heat stress across 14 US cities at ultra-fine resolution using the Universal Thermal Climate Index, revealing consistent links between lower income levels and greater thermal vulnerability. Zhao *et al* (2024) develop a novel clustering approach to characterize intra-city thermal heterogeneity during heatwaves in Paris, Montreal, and Zurich, uncovering complex land–atmosphere feedbacks. Wang *et al* (2023) distinguish the differential effects of urbanization on land surface and air temperature during heatwave and non-heatwave conditions across China, emphasizing the role of wind and precipitation in modulating urban–rural temperature differences. Yan *et al* (2024) evaluate how seasonal climatic changes affect multifunctionality in urban parks, documenting shifts in ecological and recreational services between summer and winter. Finally, Li *et al* (2023) link three decades of increased space cooling demand across five global cities to the combined influence of climate warming and urban heat islands, highlighting both the energy implications and potential mitigation through behavioral adaptation and regulatory intervention. Collectively, these studies reveal the multidimensional nature of urban heat and underscore the urgent need for spatially targeted, socially informed climate adaptation strategies.

2.5. Climate-induced drought, feedback, and societal consequences

Several studies reveal the multifaceted consequences of climate-induced droughts, spanning ecological feedbacks, hydrological shifts, and human vulnerabilities. Russo *et al* (2025) demonstrate that a 0.5 °C increase in global warming—from 1.5 °C to 2.0 °C—substantially intensifies drought conditions in the Iberian Peninsula, reinforcing the urgency

of limiting warming through emissions mitigation. Goswami *et al* (2024) develop global water-budget-based evapotranspiration estimates that capture both anthropogenic and climatic signals, improving our ability to detect and monitor drought variability, especially in irrigated regions. Vahedifard *et al* (2024) propose an overlooked feedback loop in which drought-induced soil desiccation cracking enhances CO₂ emissions from deeper soil layers, potentially accelerating atmospheric warming and threatening both soil health and infrastructure stability. Shyrokaya *et al* (2024) uncover robust correlations between multiple drought indicators and sector-specific impacts during the 2018–2019 drought in Germany, providing a scalable framework for linking hydrometeorological data with socioeconomic losses. Finally, Eklund *et al* (2024) analyze cropland abandonment in northeast Syria, finding that while drought played a role, long-term mismanagement, economic restructuring, and migration patterns were key drivers—highlighting the intertwined effects of environmental stress and structural socio-political change. Together, these studies highlight the need for integrated climate-risk governance that accounts for biophysical feedbacks, water stress, and socio-political contexts in drought-prone regions.

3. Implications for policy and future research

The findings from this special issue support the urgent need for policy frameworks that are spatially explicit, socially responsive, and grounded in a process-level understanding of Earth system dynamics. As climate change accelerates and interacts with land-use pressures, water scarcity, urbanization, and socio-political factors, policies must move beyond generic mitigation targets to incorporate localized risk profiles, feedback mechanisms, and cumulative impacts. Future research should prioritize the integration of fine-scale observational data with models that capture coupled human–environment interactions, enabling more accurate forecasting and place-based decision-making. This includes advancing tools for high-resolution monitoring of urban heat, drought vulnerability, forest loss, and biogeochemical shifts, alongside robust governance strategies that account for social heterogeneity and behavioral dynamics. The complex, cross-scale nature of human–Earth system interactions demands a new generation of interdisciplinary science that is co-produced with stakeholders and aligned with both planetary boundaries and justice-oriented adaptation goals.

Acknowledgments

M W was supported jointly by the Swedish National Space Agency (SNSA; Grant No. 2021-00111),

the Swedish Research Council for Sustainable Development (FORMAS; Grant No. 2022-00643), and Stiftelsen Oscar och Lili Lamms Minne (Grant No. FO2022-0016). A R and M W acknowledge the support from the EU Horizon 2020 GreenFeedBack project (Grant agreement ID: 101056921): 'GREENHOUSE GAS FLUXES AND EARTH SYSTEM FEEDBACKS'. T C's contribution was supported jointly by the U.S. Department of Energy's (DOE) Office of Science Biological and Environmental Research's Earth System Model Development and Regional and Global Model Analysis program Areas via a DOE Early Career Award. The Pacific Northwest National Laboratory is operated for the DOE by the Battelle Memorial Institute under contract DE-AC05-76RL01830. Tagesson was funded by the Swedish National Space Agency (SNSA Dnr: 2021-00144) and Formas (Dnr. 2021-00644; 2023-02436).

ORCID iDs

Huidong Li  <https://orcid.org/0000-0001-7969-4727>

TC Chakraborty  <https://orcid.org/0000-0003-1338-3525>

Zhonghua Zheng  <https://orcid.org/0000-0002-0642-650X>

References

- Chien S-C, Knoble C and Krumins J A 2024 Human population density and blue carbon stocks in mangroves soils *Environ. Res. Lett.* **19** 034017
- Eklund L, Mohr B and Dinc P 2024 Cropland abandonment in the context of drought, economic restructuring, and migration in northeast Syria *Environ. Res. Lett.* **19** 014077
- Engstrand R C, Espejo J C, Silman M R and Asner G P 2024 Repeated mining accounts for the majority of artisanal and small-scale gold mining activity in Southeastern Peru *Environ. Res. Lett.* **19** 064036
- Gao S, Wang L, Hao L and Sun G 2023 Community forestry dominates the recent land greening amid climate change in Nepal *Environ. Res. Lett.* **18** 104014
- Goswami S, Rajendra Ternikar C, Kandala R, Pillai N S, Yadav V K, Abhishek, Joseph J, Ghosh S and Vishwakarma B D 2024 Water budget-based evapotranspiration product captures natural and human-caused variability *Environ. Res. Lett.* **19** 094034
- Gu P, Gan B, Cai W and Wu L 2024 Role of external forcing in the time-varying trends of global-mean surface temperature under current and future climates *Environ. Res. Lett.* **19** 044038
- Guo Y, Zeng Z, Wang J, Zou J, Shi Z and Chen S 2023 Research advances in mechanisms of climate change impacts on soil organic carbon dynamics *Environ. Res. Lett.* **18** 103005
- He X, Spracklen D V, Holden J and Zeng Z 2025 Tropical montane forest loss dominated by increased 1–10 hectare-sized patches *Environ. Res. Lett.* **20** 024039
- Huang H, Zhou C, Xiao C, Wen Y, Ma W and Wu L 2024 Identification and detection of high NO_x emitting inland ships using multi-source shore-based monitoring data *Environ. Res. Lett.* **19** 044051
- Lade S J, Steffen W, de Vries W, Carpenter S R, Donges J F, Gerten D, Hoff H, Newbold T, Richardson K and Rockström J 2020 Human impacts on planetary boundaries amplified by Earth system interactions *Nat. Sustain.* **3** 119–28
- Li H, Zhao Y, Bardhan R, Chan P W, Derome D, Luo Z, Ürge-Vorsatz D and Carmeliet J 2023 Relating three-decade surge in space cooling demand to urban warming *Environ. Res. Lett.* **18** 124033
- Li X, Wang G, Zaitchik B, Hsu A and Chakraborty T 2024 Sensitivity and vulnerability to summer heat extremes in major cities of the United States *Environ. Res. Lett.* **19** 094039
- Morris J, Sokolov A, Reilly J, Libardoni A, Forest C, Paltsev S, Schlosser C A, Prinn R and Jacoby H 2025 Quantifying both socioeconomic and climate uncertainty in coupled human–Earth systems analysis *Nat. Commun.* **16** 2703
- Perri S, Levin S, Cerasoli S and Porporato A 2024 Socio-political dynamics in clean energy transition *Environ. Res. Lett.* **19** 074017
- Rahman M S, Onodera S, Saito M, Ishida T, Wang K, Hosono T and Umezawa Y 2024 Phosphorus speciation in coastal sediment of Osaka Bay: relation to anthropogenic phosphorus loading *Environ. Res. Lett.* **19** 094020
- Russo A, Bento V A, Ribeiro A F S, Lima D C A, Careto J A M, Soares P M M, Libonati R, Trigo R M and Gouveia C M 2025 Increased population exposure to extreme droughts in Iberia due to 0.5 °C additional anthropogenic warming *Environ. Res. Lett.* **20** 014075
- Shao M, Xie X, Chao E, Li J and Ren W 2024 Fine-resolution estimation for urban surface water pollution susceptibility with multi-modal earth observation data *Environ. Res. Lett.* **19** 064026
- Shyrokaya A, Messori G, Pechlivanidis I, Pappenberger F, Cloke H L and Di Baldassarre G 2024 Significant relationships between drought indicators and impacts for the 2018–2019 drought in Germany *Environ. Res. Lett.* **19** 014037
- Steffen W et al 2018 Trajectories of the Earth system in the anthropocene *Proc. Natl Acad. Sci.* **115** 8252–9
- Vahedifard F, Goodman C C, Paul V and AghaKouchak A 2024 Amplifying feedback loop between drought, soil desiccation cracking, and greenhouse gas emissions *Environ. Res. Lett.* **19** 031005
- Wang N, Chen J, He T, Xu X, Liu L, Sun Z, Qiao Z and Han D 2023 Understanding the differences in the effect of urbanization on land surface temperature and air temperature in China: insights from heatwave and non-heatwave conditions *Environ. Res. Lett.* **18** 104038
- Winkler K, Fuchs R, Rounsevell M and Herold M 2021 Global land use changes are four times greater than previously estimated *Nat. Commun.* **12** 2501
- Xie X et al 2024 Sharp decline of dust events induces regional wetting over arid and semi-arid Northwest China in the NCAR Community atmosphere model *Environ. Res. Lett.* **19** 014061
- Yan M, Chen L and Sun R 2024 Climatic effects on landscape multifunctionality in urban parks: a view for integrating ecological supply and human benefits *Environ. Res. Lett.* **19** 014032
- Yang F, Qin Y, Xu R, Deng L and Zeng Z 2024a The forest loss within small reservoirs surpasses that of large reservoirs across the tropics *Environ. Res. Lett.* **19** 084014
- Yang S, Wen X, Wu X, Wu T, Li X, Abakumov E and Jin H 2024b Biogeographic patterns shape the bacterial community beyond permafrost gradients *Environ. Res. Lett.* **19** 124084
- Yu L, Zhong S, Sui C and Sun B 2023 Linking Arctic stratospheric polar vortex weakening to rising CO₂-induced intensification of the Indo-Pacific warm pool during the past five decades *Environ. Res. Lett.* **18** 124019
- Zhao Y, Strebel D, Derome D, Esau I, Li Q and Carmeliet J 2024 Using clustering to understand intra-city warming in heatwaves: insights into Paris, Montreal, and Zurich *Environ. Res. Lett.* **19** 064002